



MEDIA GLASS 2P



MEDIA GLASS GF

MEDIA GLASS | FINISHES

STRUCTURE FINISHES



White

GLASS FINISHES



Clear

MEDIA GLASS | FUNCTIONS AND EQUIPMENT (available depending on the model)



Thermostatic mixer and Hand shower

Dome with Shower head

2 Soap holder

MEDIA GLASS GF

MULTIFUNCTION SHOWER CUBICLE, PIVOT DOOR + SIDE PANEL



207 cm



3 mm
Door



4 mm
Panels



Dimensions			Code	Mixer	Glass	Select the finishing
Dimensions (cm)	Total height (cm)	Access		T	1	AA
	C	*		Thermostatic	Clear	White
STANDARD						 
				T-	1	AA
80 X 80	210	60	MEGGF80			
90 X 90	210	70	MEGGF90			
STANDARD WITH DOME + SHOWER HEAD						   
				TF-	1	AA
80 X 80	226	60	MEGGF80			
90 X 90	226	70	MEGGF90			

REQUIRED



COMPULSORY
Imperial to Metric flex
waste adaptor

Code	Price
RISCCAB	

80



Construction
of the code:

Code

+

Mixer

+

Glass

+


Finishes

=


Final product
code



MEDIA GLASS




Left installation




Right installation






for models
A80 - A90 - R90 - GF80 - GF90


left version **right version**
for models: **A 90x70 - A 100x70 - A 100x80 - 2P 120x80**




models	A ± 5	B ± 5	C	D	E
A80	804	804	200	404	300
A90	904	904	200	504	300
GF80	804	804	200	404	300
GF90	904	904	200	504	300



models	A ± 5	B ± 5	C	D	E
R90	904	904	200	504	300



models	A ± 5	B ± 5	C	D	E
A90x70	904	704	200	504	300
A100x70	1004	704	200	604	300
A100x80	1004	804	200	604	300
2P120x80	1204	804	200	804	300



HYDRAULIC CHARACTERISTIC:
Optimum dynamic pressure 2÷5 bar
Hot water connection 1/2"
Cold water connection 1/2"
Siphon connection with ø 40 mm fitting